


COLORS

TEXTURES

FINISHES

Manufactured By



Molded-In Gelcoat – The Only Acceptable Finish For A Fiberglass Door


Integrally molded into every product manufactured by Chem-Pruf® Door Co., LTD is a 25 mil resin-rich, gelcoat finish. Equal to 50 - 60 coats of paint, this superior finish offers the first

line of defense against environmental and chemical attack. It also provides near permanent color, making color selection a significant part of the order process. You should never

need to paint Chem-Pruf® doors, frames, louvers or accessories; therefore, it is important that you select a color which meets your long-term requirements.


STANDARD COLORS

For your convenience, Chem-Pruf® keeps four of the more popular colors continually on hand at its facility. The white, gray, tan, and dark brown colors as shown below are available as standard colors.



*OPTIONAL COLORS

A wide spectrum of optional colors have been pre-matched for faster delivery and service to our customers. These high quality finishes will maintain their color and last far beyond that of field painting.



*CUSTOM COLORS

By providing Chem-Pruf® with a sample of the desired color, the finish can be matched to your exact color scheme. Be sure to ask about our two-toned doors and frames and integral color designs, such as logos, signs and patterns.

*Anti-Bacterial Gelcoat
Low Maintenance

Molded-in Color
*Integral Color Designs

USDA/FDA Acceptance
Easy On-Site Repairs

High Gloss Finish
Never Needs Painting

1. Colors shown are mechanically reproduced and will vary from the finished product. Call Chem-Pruf® for a sample.
2. As with many products, lighter colors are recommended for use in areas exposed to intense direct sunlight.
- *3. Additional charges and minimum order quantities apply.
4. Additional pre-matched colors available. Contact Chem-Pruf® for a color sample.

Textures And Finishes



Wood Grain



Leather



Fine Pebble



Tree Bark



Hammered



Matte



Semi-Gloss – Standard




High Gloss



Easy to Repair – Easy to Maintain – Graffiti Wipes Clean

Chem-Pruf uses only the highest quality gelcoat in the manufacture of our fiberglass products with 25 mil of the specified color integrally molded in as the part is made. The gelcoat is cured within a temperature range of 120 F to 170 F creating an impermeable outer surface, uniform color throughout and a permanent homogeneous bond with the resin/fiberglass substrate beneath.

A Sample of Door Style Options



You Design It We Make It!

Custom Colors
Two-Toned Doors, Frames
Integral Patterns, Logos

